

## INDIANA LIMESTONE SURVEY

Job N° 1193

Perry Section 32

SCALE:  
1"=2000'

STATE ROAD 37

NE COR. SEC. 30 Per. E17

DB 202  
PG 320, 321

SEC. 30

SEC. 29

Per. A21

NW COR. SEC. 31

3/4" IRON PIPE  
FOUNDFENCE CORNER  
IN CONCRETE4.95' N  
9.49' SN 88° 57' 21" W  
1412.63'

S 89° 41' 16" W 4050.77'

12'x12' TIN  
PUMP HOUSE  
681.37' S 49.2' W  
SEE DETAIL

SEC. 31

Per. E21

NW 1/4 COR. SEC. 32

BRASS PLUG IN CONCRETE

N 89° 34' 41" E  
2634.68'2645.56'  
2640.97'

500' 03' 57" W

330.00' R, 331.68' M.

BRASS PLATE IN CONCRETE

PK NAIL FOUND  
N 1/4 COR. SEC. 32

Per. G21

SEC. 32

PUMP HOUSE DETAIL

NE COR. SEC. 32

500° 41' 45" W  
659.5'

EAST 178.00'

12'x12' TIN  
PUMP HOUSE


0.61 AC.

D.B. 323  
P.G. 42330' INGRESS  
EGRESS EASEMENT

WEST 268.00'


21.87'  
500' 41' 45" W 120.00'SCALE:  
1"=100'

# INDIANA LIMESTONE COMPANY — BEDFORD, INDIANA — PROPERTY SURVEY



32-8N-1W

## INDIANA LIMESTONE COMPANY — BEDFORD, INDIANA — PROPERTY SURVEY



32-8N-1W



Plat of Surveys made for  
VICTOR BUFF STONE Co. requested by  
MYRON EDGEWORTH, Jr President

Bearings taken from new S.R. 37 Plans  
Scale 1"=200'

Legend on


- ◆ Limestone or Concrete Monuments found
- ⊕ 1/2" iron pipe with yellow plastic plug stamped PRALL LS 10234
- ⊙ Pipe or Pin found
- Existing Fence (not to scale)

Surveyed by N.L. Prall L.S. 11-30-84

Asst: M.T. Hardwick

N.A. Martin

Drawn by N.L. Prall 12-4-84



(Indiana Limestone Co.)  
D.R. 86 P.248

(Indiana Limestone Co.)  
D.R. 86 P.250

(State of Indiana)  
D.R. 209 P.393

(William F. Nicholson et al)  
D.R. 169 P.496

Buff & Blue Oolitic Stone Co.  
D.R. 25 P.95  
No Deed to Victor Buff Stone Co. Found  
but is being taxed to them.

(D.R. 38 P.383)

(Victor Buff Stone Co.)  
(D.R. 86 P.510)

(Dennis L. White)  
D.R. 300 P.383

(Basil V. &  
Mildred L. Wampler)  
D.R. 116 P.246

(Mark A. & Kimberly Sue Nethery)  
D.R. 306 P.172

(Donald L. & Jean V. Hazel)  
D.R. 211 P.191

(Gerry W. & Sharon A.)  
Sheridan  
D.R. 276 P.493

P.O.T. 960+00.25

